


# Outage Notices

---

## 270 271 Data Exchange Emergency Outage Notice



The image shows a screenshot of an email client's 'Compose' window. The window has a light gray border and a 'Send' button on the left. The header area contains three fields: 'To...' (empty), 'Cc...' (empty), and 'Subject: Delta Dental of Virginia 270 271 Data Exchange Emergency Outage Notice'. The main body of the email contains the following text:

**Data Exchange System Outage Notice**

Systems Affected:

Start Time:

End Time:

## 270 271 Data Exchange Non-Routine Outage

Send	To...	
	Cc...	
	Subject:	Delta Dental of Virginia 270 271 Data Exchange Non-Routine Outage Notice


**Data Exchange System Outage Notice**

**Systems Affected:**

**Start Time:**

**End Time:**

## 270 271 Data Exchange Routine Outage

 Send	To...	
	Cc...	
Subject:	Delta Dental of Virginia 270 271 Data Exchange Routine Outage Notice	

**Data Exchange System Outage Notice**

**Systems Affected:**

**Start Time:**

**End Time:**

## 270 271 Data Exchange Restoration

Send	To...	
	CC...	
	Subject:	Delta Dental of Virginia 270 271 Data Exchange Restoration Notice

**Data Exchange System Outage Notice**

Systems Affected:

Start Time:

End Time:

## 270 271 Data Exchange Restoration

Send	To...	
	Cc...	
	Subject:	Delta Dental of Virginia 270 271 Data Exchange Restoration Notice

**Data Exchange System Outage Notice**

**Systems Affected:**

**Start Time:**

**End Time:**

## 276 277 Data Exchange Emergency Outage

Send	To...	
	Cc...	
	Subject:	Delta Dental of Virginia 276 277 Data Exchange Emergency Outage Notice

**Data Exchange System Outage Notice**

**Systems Affected:**

**Start Time:**

**End Time:**

## 276 277 Data Exchange Non-Routine Outage

Send	To...	
	CC...	
	Subject:	Delta Dental of Virginia 276 277 Data Exchange Non-Routine Outage Notice

**Data Exchange System Outage Notice**

**Systems Affected:**

**Start Time:**

**End Time:**

## 276 277 Data Exchange Routine Outage

Send	To...	
	Cc...	
	Subject:	Delta Dental of Virginia 276 277 Data Exchange Routine Outage Notice

**Data Exchange System Outage Notice**

Systems Affected:

Start Time:

End Time:



## 276 277 Data Exchange Restoration

Send	To...	
	Cc...	
	Subject:	Delta Dental of Virginia 276 2747 Data Exchange Restoration Notice

**Data Exchange System Outage Notice**

Systems Affected:

Start Time:

End Time: